TIMBER PROTECT SK CONSTRUCTION PERIOD PROTECTION



OPTIMAL TRANSPORT AND CONSTRUCTION PERIOD PROTECTION FOR STRUCTURAL COMPONENTS

MRER



DIIOM

Double-function membrane Weather protection



Optimized re-drying



Very good self-adhesion



Non-slip safety: anti-slip coating



All-over self-adhesive



DESCRIPTION

TIMBER Protect SK is a combination of fleece coated with an impermeable membrane on both sides and a specially matched polyacrylic adhesive. The tear-resistant synthetic liner facilitates handling. Construction elements can be bonded together over the entire surface with the wide sheets as protection during transport and the construction period. Joins between sheets can easily be made lengthwise along the marking grid and diagonally with 10 cm overlap. The film can also be used as a permanent airtight layer within the structural component.

TECHNICAL DATA

| Roll width | 150 cm |
|---------------------------------|-----------------|
| Roll length | 50 m |
| Liner division | 25/125 cm |
| Watertight | W1 |
| sd - value moisture-variable | 0,28 m - 2,68 m |
| Outdoor exposure | 12 weeks |



The film can be applied at the prefabrication stage as well as on the building site.


FIELD OF APPLICATION

TRANSPORT PROTECTION
WEATHER PROTECTION
AIRTIGHT LAYER





CONSTRUCTION PERIOD PROTECTION







TIMBER PROTECT SK CONSTRUCTION PERIOD PROTECTION

APPLICATION



Roll out and adjust TIMBER PROTECT



Then roll up again neatly



Peel off the backing strip at the start of the roll and fix TIMBER PROTECT in place



Pull off the backing strip. IMPORTANT: The roll must be rolled out and lying on the ground while the backing strip is peeled off.





At the same time, smooth out the sheet with a squeegee. Always work towards the end of the sheet to avoid air bubbles and creases.



As soon as the backing strip can no longer be handled without creasing, cut off and peel off the backing strip at the short end.

ISOCELL GmbH & Co KG

Gewerbestraße 9 | 5202 Neumarkt am Wallersee Tel.: +43 6216 4108–0 | Fax: +43 6216 7979 E-Mail: office@isocell.at | WWW.ISOCELL.COM

ISOCELL IRELAND - UK - NORTH AMERICA

Newtownmountkennedy Wicklow Tel.: +353 (0) 866018555 | UK Freephone 0800 433 4833 info@isocell.ie info@isocelluk.co.uk www.isocellairstop.com

